



City of California City
Building Department
21000 Hacienda Blvd
California City, CA 93505

California City's Design Criteria for Residential Structures

This information replaces Table R301.2(1) in Chapter 3 of the 2016 CRC

Ground Snow Load	5 PSF
Wind Design Speed ^d (mph)	130 for Risk Category II Structures
Topographic effects ^k	Yes
Special wind region ^l	Yes
Seismic Design Category ^f	D1
Windborne debris zone ^m	Yes
Subject to Damage From:	
Weathering ^a	Negligible
Frost line depth ^b	12"
Termite ^c	Very Heavy
Winter Design Temp ^e	40°F
Ice barrier Underlayment Required ^h	No
Flood Hazards ^g :	
Date of entry into Flood Insurance Program	April 15, 1977
Date of Flood Insurance Study	September 26, 2008
Flood Panel Number (dated 9/26/2008)	2550, 2575, 2920, 2925, 2935, 2939, 2940, 2943, 2945, 2955, 2960, 2965, 2970, 2980, 2985, 2990, 2995, 3285, 3310, 3325, 3326, 3327, 3328, 3329, 3331 and 3350
Air Freezing Index ⁱ	30%
Mean Annual Temperature ^j	70°F
Roof Live Load	20 PSF
Climate Zone	14
Fire Zone	299